

The Performance Leader
in Innovative Foodservice Appliances



ABOUT CADCO



Cadco, Ltd. has been serving the foodservice community since 1996, with principals and staff who have been foodservice equipment professionals for many years.

Cadco is located in a large, modern 30,000 square foot facility in Winsted, CT. This facility houses our administrative offices, our manufacturing operation, and our distribution warehouse.

Our products are available through a select group of Foodservice Dealers in the United States and Canada.

TECHNICAL & CHEF SUPPORT AVAILABLE

We have the personnel for phone support to insure proper installation and answer your aftermarket questions and food-related questions.

- E-mail: info@cadco-ltd.com ● Phone Toll-free: 877-603-7393
- Website: www.cadco-ltd.com - See our Chef support resources center; click the button for the **Chef's Table** section
- Chef Demo Video Library - available on our website



WEBSITE RESOURCES



VISIT OUR WEBSITE (www.cadco-ltd.com) FOR USEFUL RESOURCES:

Our goal is to provide you with useful information about our products that makes it easier for you to meet your equipment needs. Cadco markets and distributes a line of quality foodservice equipment, and sells exclusively through commercial foodservice Dealers. We have established the reputation as "The Performance Leader in Foodservice Ovens."

Feel free to browse around this site. If you have comments or questions about our products or services, or simply need more information and want to contact us, click on the **"Contact Us"** button.

- See product specs, photos, and list prices
- Watch product demonstration videos
- Download (PDF format) Catalogs, Product Line Brochures, Spec Sheets
- Download (PDF format) Product Manuals and Cooking Guides
- Get tips and insights from our Culinary Manager in the Chef's Corner... email questions to him, too.
- Warranty information and service notes

FOODSERVICE SUPPLY DEALERS:

- Click the **"Sales Reps"** button to find contact information for your area Cadco sales representative

ORDERING INFORMATION

DROP SHIP ORDERS:

- There is a handling charge of \$5 per drop ship order.
- **The following models have a carton overwrap charge of \$10 per unit:**
OV-003, OV-013, OV-013SS, & XAF-103 Convection Ovens
PLEASE NOTE: The \$10 carton overwrap charge per unit applies to all UPS / FEDEX shipments, including third-party billed shipments.

TABLE OF CONTENTS

| | | | |
|------------------------------|-------|--------------------------------------|-------|
| Convection Ovens | 2-8 | Buffet Servers | 17-18 |
| Ovens Accessories | 9-10 | Warming Cabinets | 19 |
| Griddles | 11 | Warming Shelves & Buffet Accessories | 20 |
| Panini Grills | 11 | Well Warmers | 21 |
| Hot Plates / Portable Ranges | 12-13 | Food Steamer | 21 |
| Mobile Buffet Warming Carts | 14-16 | Toasters | 22 |



Compact Countertop Convection Ovens

(Specialty oven models on this page share the same common features list with those on page 4, except the OV-013SS does not have a glass door.)



Four half size nonstick aluminized steel pizza heat plates included

NEW



OV-023P: Half Size Pizza Convection Oven with Manual Controls / 4 Pizza Heat Plate Shelves, stainless -Anna™

- Four Half Size Pizza Heat Plate shelves included
- Pizza Heat Plate shelves are aluminized steel with non-stick surface
- Manual control knobs: Time, Temperature
- Handles four half size sheet pans (not included)
- Also handles steam pans
- Cooking chamber: 11-3/4" H x 18-3/4" W x 13-3/4" D (1.75 cubic feet) ● One fan
- 208-240 Volts / 2,700 Watts / 11.25 Amps / Single Phase ● NEMA 6-15 Plug
- Freight class 85



NEMA 6-15 Plug

List Price \$1,999.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|----------------------------------|----------------------------------|----------|
| 23 ⁵ / ₈ " | 18 ⁵ / ₈ " | 23 ³ / ₄ " | 85 lbs.* |

NOTE: This model must ship by truck, not UPS * does not include weight of shipping skid

Exclusive Pizza Heat Plates bake everything in shorter time... for fast baking of Pizza, Breads, and other Snacks / Baked goods



NEW

120 Volt



OV-013SS: Half Size Catering Convection Oven with Stainless Steel Door/ Manual Controls / 3 Shelves, stainless

- Stainless steel door: no door glass to break in transit
- Light enough to carry to catering sites
- Manual control knobs: Time, Temperature
- Handles 3 half size sheet pans (not included)
- Three shelves included ● Also handles steam pans
- Cooking chamber: 9" H x 18-3/4" W x 13-3/4" D (1.34 cubic feet) ● One fan
- 120 Volts / 1,450 Watts / 12 Amps / Single Phase
- NEMA 5-15 Plug ● Freight class 85



NEMA 5-15 Plug

List Price \$1,640.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|----------------------------------|----------------------------------|----------|
| 23 ⁵ / ₈ " | 15 ³ / ₄ " | 23 ³ / ₄ " | 65 lbs. |

NOTE: *This model UPS-able if overwrapped

NEW



ZW013SS: Stainless Steel Door for OV-013 Series Ovens

- Stainless steel door avoids door glass breakage in transit ● Perfect for caterers!
- Designed to fit OV-013/OV-013B/OV-013SS Ovens
- Unit: W: 23-5/8" x D: 4-1/2" x H: 12-1/2"
- Ship Wt: 15 lbs.

| Width | Height | Depth | Ship Wt. |
|----------------------------------|----------------------------------|---------------------------------|----------|
| 23 ⁵ / ₈ " | 12 ¹ / ₂ " | 4 ¹ / ₂ " | 15 lbs. |

List Price \$420.00



OV350CB: Carry Bag (for OV-013 series & OV-350 Ovens)

- Designed to fit OV-013 series & OV-350 Ovens
- Perfect for carrying OV-013 & OV-350 ovens to catering jobs!
- Black, heavy-duty nylon material ● Sturdy 15" high carry straps
- Unit Dimensions: W: 25" x D: 24" x H: 16" ● Ship Wt: 3 lb.

Made in America

List Price \$100.00

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.



Compact Countertop Convection Ovens

Cadco Compact Manual Convection Ovens provide Small Footprint & Large Production

All OV Series Compact Manual Convection Oven Models feature:

- Advanced airflow design with patented baffle
- Manual controls
- Heat settings from 175°- 500° F
- 60 minute timer; buzzer goes off at end of cycle
- High temperature motor bearings
- Dura-Body heavy duty stainless steel construction
- Safety design: “cool-touch” double wall glass door
- Reinforced door design
- 2-1/2” between shelves
- Oven cavity wrapped in high “R” value insulation
- NSF, MET through UL Standards / listed by UNOX S.r.l.
- Two Year Limited On-site Warranty on 208-240V model;
- Two-year Limited Carry-in Warranty on 120V models

120 Volt



OV-003: Quarter Size Convection Oven with Manual Controls / 3 Shelves, stainless -Roberta™

- Manual control knobs: Time, Temperature
 - Handles 3 quarter size sheet pans (not included)
 - Three shelves included ● Also handles steam pans
 - Cooking chamber: 9” H x 14-1/8” W x 11-1/4” D (.83 cubic feet) ● One fan
 - 120 Volts / 1,450 Watts / 12 Amps / Single Phase
 - NEMA 5-15 Plug ● Freight class 85
- NOTE: *This model UPS-able if overwrapped



NEMA 5-15P Plug

List Price \$998.00

| Width | Height | Depth | Ship Wt. |
|--------|--------|--------|----------|
| 187/8” | 153/4” | 211/2” | 47 lbs. |

120 Volt



OV-013: Half Size Convection Oven with Manual Controls / 3 Shelves, stainless -Lisa™

- Manual control knobs: Time, Temperature
 - Handles 3 half size sheet pans (not included)
 - Three shelves included ● Also handles steam pans
 - Cooking chamber: 9” H x 18-3/4” W x 13-3/4” D (1.34 cubic feet) ● One fan
 - 120 Volts / 1,450 Watts / 12 Amps / Single Phase
 - NEMA 5-15 Plug ● Freight class 85
- NOTE: *This model UPS-able if overwrapped



NEMA 5-15P Plug

List Price \$1,580.00

| Width | Height | Depth | Ship Wt. |
|--------|--------|--------|----------|
| 235/8” | 153/4” | 233/4” | 62 lbs. |



OV-023: Half Size Convection Oven with Manual Controls / 4 Shelves, stainless -Anna™

- Manual control knobs: Time, Temperature
 - Handles four half size sheet pans (not included)
 - Four shelves included ● Also handles steam pans
 - Cooking chamber: 11-3/4” H x 18-3/4” W x 13-3/4” D (1.75 cubic feet) ● One fan
 - 208-240 Volts / 2,700 Watts / 11.25 Amps / Single Phase ● NEMA 6-15 Plug
 - Freight class 85
- NOTE: This model must ship by truck, not UPS



NEMA 6-15P Plug

List Price \$1,850.00

| Width | Height | Depth | Ship Wt. |
|--------|--------|--------|----------|
| 235/8” | 185/8” | 233/4” | 70 lbs.* |

* does not include weight of shipping skid



OV350CB: Carry Bag (for OV-013 series & OV-350 Ovens)

- Designed to fit OV-013 series & OV-350 Ovens
- Perfect for carrying OV-013 & OV-350 ovens to catering jobs!
- Black, heavy-duty nylon material ● Sturdy 15” high carry straps
- Unit Dimensions: W: 25” x D: 24” x H: 16” ● Ship Wt: 3 lb.

Made in America

List Price \$100.00

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.



LineChef™ Manual Convection Ovens

Cadco LineChef™ Manual Convection Ovens possess cooking performance similar to the LineChef™ Digital Convection Ovens, except with manual controls, and they extend durability for long lasting use

All LineChef™ Manual Convection Oven Models feature:

- Advanced airflow design with patented baffle
- Manual controls
- Heat settings from 175°- 500° F
- 60 minute timer beeps at end of cycle
- High temperature motor bearings
- Humidity feature on half & full size models
- Dura-Body heavy duty stainless steel construction
- Reinforced door design
- Interior halogen light
- 3" between shelves
- Safety design: "cool-touch" double wall glass door
- Oven cavity wrapped in high "R" value insulation
- Dimensions are designed to accommodate modular stacking for customized configuration
- NSF, UL through CSA Standards / listed by UNOX S.p.A.
- Two Year Limited On-site Warranty on 208-240V models;
- Two-year Limited Carry-in Warranty on 120V models

XAF vs. OV Series Manual Convection Oven Model Comparison:

XAF models:

- Thicker gaskets
- Moves more air
- Heavier construction
- Larger cavity size



120 Volt

XAF-103: Quarter Size Convection Oven with Manual Controls / 3 Shelves, stainless -Cristina™

- Manual control knobs: Time, Temperature
 - Handles 3 quarter size sheet pans (not included)
 - Three shelves included
 - Also handles steam pans
 - Cooking chamber is 10" H x 14-1/2" W x 11" D (.92 cubic feet)
 - One fan
 - 120 Volts / 1,450 Watts / 12 Amps / Single Phase
 - NEMA 5-15 Plug
 - Freight class 85
- NOTE: *This model UPS-able if overwrapped



NEMA 5-15P Plug

List Price \$1,590.00

| Width | Height | Depth | Ship Wt. |
|------------------------------------|----------------------------------|-----------------------------------|----------|
| 18 ¹⁵ / ₁₆ " | 16 ⁷ / ₈ " | 22 ³ / ₁₆ " | 61 lbs.* |



120 Volt

XAF-113: Half Size Convection Oven with Humidity/ Manual Controls / 3 Shelves, stainless -Stefania™

- Manual controls: Time, Temperature, Humidity
 - Handles 3 half size sheet pans (not included)
 - Three shelves included
 - Also handles steam pans
 - Includes EL080 Auxiliary Water Pump
 - Cooking chamber is 10" H x 19-1/2" W x 15-1/2" D (1.75 cubic feet)
 - One fan
 - 120 Volts / 1,450 Watts / 12 Amps / Single Phase
 - NEMA 5-15 Plug
 - Freight class 85
- NOTE: This model must ship by truck, not UPS



NEMA 5-15P Plug

\$1,950.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|----------------------------------|----------------------------------|----------|
| 23 ⁵ / ₈ " | 16 ⁷ / ₈ " | 28 ¹ / ₈ " | 78 lbs.* |

* does not include weight of shipping skid



XAF-133: Half Size Convection Oven with Humidity/ Manual Controls / 4 Shelves, stainless -Arianna™

- Manual controls: Time, Temperature, Humidity
 - Handles four half size sheet pans (not included)
 - Four shelves included
 - Also handles steam pans
 - Includes EL080 Auxiliary Water Pump
 - Cooking chamber is 13" H x 19-1/2" W x 15-1/2" D (2.27 cubic feet)
 - One fan
 - 208-240 Volts / 2,700 Watts / 11.25 Amps / Single Phase
 - NEMA 6-15 Plug
 - Freight class 85
- NOTE: This model must ship by truck, not UPS



NEMA 6-15P Plug

List Price \$2,200.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|--------|----------------------------------|----------|
| 23 ⁵ / ₈ " | 20" | 28 ¹ / ₈ " | 92 lbs.* |

* does not include weight of shipping skid

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

Cadco UNOX *Line Chef™ Manual Convection Ovens*



XAF-183: Full Size Convection Oven with Humidity/ Manual Controls / 3 Shelves, stainless -Elena™

- Manual controls: Time, Temperature, Humidity
- Handles 3 full size sheet pans (not included)
- Three shelves included ● Also handles steam pans
- Automatically reversible fan for even heat
- Includes electro valve for direct water connection
- Cooking chamber is 10" H x 27-1/4" W x 18-3/4" D (3 cubic feet) ● One fan ● NEMA L6-30 Plug
- 208-240 Volts / 4,600 Watts / 20 Amps / Single Phase
- Freight class 85 NOTE: This model must ship by truck, not UPS

List Price \$3,320.00

| Width | Height | Depth | Ship Wt. |
|---------|---------|-------|-----------|
| 31 1/2" | 19 7/8" | 32" | 119 lbs.* |



NEMA L6-30 Plug

* does not include weight of shipping skid



XAF-193: Full Size Convection Oven with Humidity/ Manual Controls / 4 Shelves, stainless -Rossella™

- Manual controls: Time, Temperature, Humidity
- Handles 4 full size sheet pans (not included)
- Four shelves included ● Also handles steam pans
- Automatically reversible fans for even heat
- Includes electro valve for direct water connection
- Cooking chamber is 13" H x 27-1/4" W x 18-3/4" D (3.85 cubic feet) ● Two fans ● NEMA L6-30 Plug
- 208-240 Volts / 5,600 Watts / 23.3 Amps / Single Phase
- Freight class 85 NOTE: This model must ship by truck, not UPS

List Price \$3,950.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|-------|-----------|
| 31 1/2" | 23" | 32" | 142 lbs.* |



NEMA L6-30 Plug

* does not include weight of shipping skid

CONVECTION OVEN STANDS

For additional convection oven accessories, see pages 10-11



OV-HDS



OST-195



XR190



OST-34A



XR130



XR621

XR621: Wheels Kit for Oven Stands

- 2 wheels with brake, 2 without brake
- Ship Wt: 5 lbs.

List Price \$240.00

OV-HDS: Heavy-Duty 2-Oven Stand w/ Wheels for Half or Quarter Size Ovens List Price \$800.00

- Holds any two Cadco half or quarter size ovens (not included) ● Stainless steel (assembly required) ● 4 Wheels (2 w/brakes) incl.
- Unit: W: 25-3/4" x D: 30-1/4" x H: 42-3/8" (incl. wheels) ● Ship Wt: 40 lbs. (ships in 2 cartons)

OST-195: Heavy-Duty Stand w/ Wheels for XAF-183, XAF-188, XAF-193 & XAF-195 Full Size Ovens List Price \$760.00

- Handles 8 full size sheetpans (not included) ● Aluminum (assembly required) ● 4 Wheels w/brakes included
- Unit: W: 30" x D: 32" x H: 34-3/4" (incl. wheels) ● Ship Wt: 46 lbs. (ships in 2 cartons)

XR190: Stand for XAF-183, XAF-188, XAF-193 & XAF-195 Full Size Ovens List Price \$950.00

- Handles 8 full size pans (not included) ● Stainless steel (assembly required) ● Unit: W: 31-7/16" x D: 23-5/8" x H: 30-13/16"
- Ship Wt: 38.5 lbs.

XR130: Stand for XAF Series & new OV Series Half Size Ovens List Price \$840.00

- Handles 8 half size pans (not included) ● Stainless steel (assembly required) ● Unit: W: 23-5/8" x D: 20-13/32" x H: 30-13/16"
- Ship Wt: 32 lbs.

OST-34A: Heavy-Duty Stand w/ Wheels for OV Series Half Size Ovens List Price \$630.00

- Handles 7 half size sheet pans (not included) ● Aluminum (assembly required)
- 4 Wheels w/brakes included ● Unit: W: 20-3/4" x D: 24-1/2" x H: 31-1/2" ● Ship Wt: 29.5 lbs.

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.



Cadco Digital Convection Oven's advanced features enhance the cooking performance and extend durability for long lasting use

All Digital Oven Models feature:

- **Advanced airflow design with patented baffle & automatically reversible fan for even heat**
 - Digital programmable controls - up to 70 programs
 - Heat settings from 175°-500° F
 - 10 hour timer or continuous on
 - Timer beeps at end of cycle
 - 3" between shelves
 - Dura-Body heavy duty stainless steel construction
 - High temperature motor bearings
- Safety design: "cool-touch" double wall glass door
- Oven cavity is wrapped in high "R" value insulation
- Interior halogen light
- Reinforced door design
- Micro safety switch shuts oven off when door is opened
- NSF, UL through CSA Standards / listed by UNOX S.p.A.
- Chef Support – on-line and via phone
- Two Year Limited On-site Warranty

120 Volt



XAF-111: Half Size Convection Oven with NO Humidity / 3 Shelves / Classic Control Panel, stainless -Stefania™
(Same as XAF-115 except: NO HUMIDITY or Water Pump, 120V)

- Programmable controls: Time, Temperature
 - Handles 3 half size sheet pans (not included)
 - Three shelves included
 - Also handles steam pans
 - Cooking chamber is 10" H x 19-1/2" W x 15-1/2" D (1.75 cubic feet)
 - One fan
 - 120 Volts / 1,450 Watts / 12 Amps / Single Phase
 - NEMA 5-15P Plug
 - Freight class 85
- NOTE: This model must ship by truck, not UPS



NEMA 5-15P Plug

List Price \$2,250.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|----------------------------------|----------------------------------|----------|
| 23 ⁵ / ₈ " | 16 ⁷ / ₈ " | 28 ¹ / ₈ " | 78 lbs.* |

* does not include weight of shipping skid



XAF-115: Half Size Convection Oven with Humidity / 3 Shelves / Dynamic Control Panel, stainless -Stefania™

- Programmable controls: Time, Temperature, Humidity
 - Handles 3 half size sheet pans (not included)
 - Three shelves included
 - Also handles steam pans
 - Includes EL080 Auxiliary Water Pump
 - Cooking chamber is 10" H x 19-1/2" W x 15-1/2" D (1.75 cubic feet)
 - One fan
 - Freight class 85
 - 208-240 Volts / 2,700 Watts / 11.25 Amps / Single Phase
 - NEMA 6-15P Plug
- NOTE: This model must ship by truck, not UPS



NEMA 6-15P Plug

List Price \$2,450.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|----------------------------------|----------------------------------|----------|
| 23 ⁵ / ₈ " | 16 ⁷ / ₈ " | 28 ¹ / ₈ " | 78 lbs.* |

* does not include weight of shipping skid



XAF-130: Half Size Convection Oven with NO Humidity / 4 Shelves / Classic Control Panel, stainless -Arianna™
(Same as XAF-135 except: NO HUMIDITY or Water Pump)

- Programmable controls: Time, Temperature
 - Handles 4 half size sheet pans (not included)
 - Four shelves included
 - Also handles steam pans
 - Cooking chamber is 13" H x 19-1/2" W x 15-1/2" D (2.27 cubic feet)
 - One fan
 - Freight class 85
 - 208-240 Volts / 2,700 Watts / 11.25 Amps / Single Phase
 - NEMA 6-15P Plug
- NOTE: This model must ship by truck, not UPS



NEMA 6-15P Plug

List Price \$2,360.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|--------|----------------------------------|----------|
| 23 ⁵ / ₈ " | 20" | 28 ¹ / ₈ " | 97 lbs.* |

* does not include weight of shipping skid



XAF-135: Half Size Convection Oven with Humidity / 4 Shelves / Dynamic Control Panel, stainless -Arianna™

- Programmable controls: Time, Temperature, Humidity
 - Handles 4 half size sheet pans (not included)
 - Four shelves included
 - Also handles steam pans
 - Includes EL080 Auxiliary Water Pump
 - Cooking chamber is 13" H x 19-1/2" W x 15-1/2" D (2.27 cubic feet)
 - One fan
 - Freight class 85
 - 208-240 Volts / 2,700 Watts / 11.25 Amps / Single Phase
 - NEMA 6-15P Plug
- NOTE: This model must ship by truck, not UPS



NEMA 6-15P Plug

List Price \$2,700.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|--------|----------------------------------|----------|
| 23 ⁵ / ₈ " | 20" | 28 ¹ / ₈ " | 97 lbs.* |

* does not include weight of shipping skid

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.



XAF-188: Full Size Convection Oven with Humidity / 3 Shelves / Dynamic Control Panel, stainless -Elena™

- Programmable controls: Time, Temperature, Humidity
- Handles 3 full size sheet pans (not included)
- Three shelves included ● Also handles steam pans
- Includes electro valve for direct water connection
- Cooking chamber is 10" H x 27-1/4" W x 18-3/4" D (3 cubic feet) ● One fan
- 208-240 Volts / 4,600 Watts / 20 Amps / Single Phase
- NEMA L6-30 Plug ● Freight class 85

NOTE: This model must ship by truck, not UPS

List Price \$3,790.00

| Width | Height | Depth | Ship Wt. |
|---------|---------|-------|-----------|
| 31 1/2" | 19 7/8" | 32" | 119 lbs.* |



NEMA L6-30 Plug

* does not include weight of shipping skid

XAF-195: Full Size Convection Oven with Humidity / 4 Shelves / Dynamic Control Panel, stainless -Rossella™

- Programmable controls: Time, Temperature, Humidity
- Handles 4 full size sheet pans (not included)
- Four shelves included ● Also handles steam pans
- Includes electro valve for direct water connection
- Cooking chamber is 13" H x 27-1/4" W x 18-3/4" D (3.85 cubic feet) ● Two fans
- 208-240 Volts / 5,600 Watts / 23.3 Amps / Single Phase
- NEMA L6-30 Plug ● Freight class 85

NOTE: This model must ship by truck, not UPS

List Price \$4,450.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|-------|-----------|
| 31 1/2" | 23" | 32" | 142 lbs.* |



NEMA L6-30 Plug

* does not include weight of shipping skid

DIGITAL PROOFERS

For additional convection oven accessories, see pages 10-11

NOTE: In modular configurations, oven & proofer are both controlled by the digital Dynamic control panel on the oven. Proofers not designed for stand-alone use.



XAL195: Proofer for XAF-188 & XAF-195 Full Size Ovens

- Handles 8 full size sheet pans (not included)
 - Temperatures to 122° F.
 - Unit: W: 31-1/2" x D: 28" x H: 29-7/8"
 - Ship Wt.*: 91 lbs.
 - Electrical: 208-240 Volts / 1200 Watts / 5.5 Amps / NEMA 6-15P Plug
- NOTE: This model must ship by truck, not UPS



NEMA 6-15P Plug

List Price \$2,690.00



XAL135: Proofer for XAF-115 & XAF-135 Half Size Ovens

- Handles 8 half size sheet pans (not included)
 - Temperatures to 122° F.
 - Unit : W: 23-5/8" x D: 22-13/16" x H: 29-7/8"
 - Ship Wt.*: 57 lbs.
 - Electrical: 208-240 Volts / 1200 Watts / 5.5 Amps / NEMA 6-15P Plug
- NOTE: This model must ship by truck, not UPS



NEMA 6-15P Plug

List Price \$2,190.00

* Does not include weight of shipping skid

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

OVEN ACCESSORIES

Convection Oven Accessories

Heat Plates: For all Cadco Quarter Size, Half Size & Full Size Convection Ovens
**These exclusive Heat Plates bake everything in shorter time...
 for fast baking of Pizza, Breads, and other Snacks / Baked goods**



- Heat Plates provide very fast baking times, up to 50% faster than traditional baking pans. It takes as little as 4-5 minutes to bake a fresh Pizza on a Heat Plate!
- The plates are manufactured from alloys which provide superior heat storage and produce fast, even cooking of both top and bottom of the food product simultaneously. ● Nonstick baking surface
- Plates help ovens maintain better temperature stability under normal door opening/closing conditions.

CAP-H: Half Size Pizza Heat Plate



- Aluminized steel
 - Unit: W: 20" x D: 13-1/2" x H: 1/4"
 - Ship Wt.: 8.5 lbs.
- List Price \$60.00**

CAP-Q: Quarter Size Pizza Heat Plate



- Aluminized steel
 - Unit: W: 13-1/2" x D: 10" x H: 1/4"
 - Ship Wt.: 4.5 lbs.
- List Price \$40.00**

Made in America



CAP-F: Full Size Pizza Heat Plate

- Aluminized steel
 - Unit: W: 27" x D: 20" x H: 1/4"
 - Ship Wt.: 17 lbs.
- List Price \$80.00**



Stainless Steel Oven Baskets: For all Cadco Quarter Size, Half Size & Full Size Convection Ovens
Enhance even airflow around food for quicker, crisper results

APPLICATIONS: ● Potato Product: Potato Puffs, Hash Browns, Roasted Potatoes

- Fries: Krinkle Cut, Curly ● Chicken Wings: Buffalo, BBQ ● Chicken Product: Nuggets, Tenders
- Seafood: Shrimp, Fish Sticks, Oven Specific Battered Fish ● Onion Rings ● Roasted Vegetables
- Appetizers: Corn Dogs, Mozzarella Sticks, Stuffed Jalapeños, Etc.



COB-F



COB-H



COB-Q



Made in America

COB-F: Oven Basket (Full Size)

- Stainless steel ● Ship Wt.: 5 lbs. ● Unit: W: 25-3/4" x D: 17-5/8" x H: 1-1/2"

List Price \$80.00

COB-H: Oven Basket (Half Size)

- Stainless steel ● Ship Wt.: 2.5 lbs. ● Unit: W: 17-7/8" x D: 12-3/4" x H: 1-1/2"

List Price \$60.00

COB-Q: Oven Basket (Quarter Size)

- Stainless steel ● Ship Wt.: 2 lbs. ● Unit: W: 12-7/8" x D: 9-1/2" x H: 1-1/2"

List Price \$40.00

OVENS & PROOFERS MODEL NUMBER CROSS REFERENCE for NSF, MET & CSA LISTINGS

All ovens made to Cadco Ltd. specs by UNOX S.r.l., Italy ● NSF/ANSI Standard 4 (www.nsf.com) Listed as UNOX

CSA to requirements of UL 197 (<http://directories.csa-international.org>)
 Listed as UNOX S.r.l., File #202281

MET to UL requirements
 (<http://www.metlabs.com/>)
 Listed as UNOX S.r.l.

Line Chef™ Convection Ovens

| Cadco Model | UNOX Model | Cadco Model | UNOX Model | Cadco Model | UNOX Model |
|-------------|------------|-------------|------------|-------------|------------|
| XAF-103 | = XAF103 | XAF-130 | = XAF130 | XAF-188 | = XAF188 |
| XAF-111 | = XAF111 | XAF-133 | = XAF133 | XAF-193 | = XAF193 |
| XAF-113 | = XAF113 | XAF-135 | = XAF135 | XAF-195 | = XAF195 |
| XAF-115 | = XAF115 | XAF-183 | = XAF183 | | |

Line Chef™ Proofers

| Cadco Model | UNOX Model |
|-------------|------------|
| XAL135 | = XAL135 |
| XAL195 | = XAL195 |

OV Series Compact Convection Ovens

| Cadco Model | UNOX Model |
|---------------|------------|
| OV-003/B/L | = XAF003 |
| OV-013/B/L/SS | = XAF013 |
| OV-023/B/L/P | = XAF023 |

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

OVEN ACCESSORIES

Convection Oven Accessories



ZW013SS: Stainless Steel Door for OV-013 Series Ovens

- Designed to fit OV-013/OV-013B/OV-013SS Ovens ● Perfect for caterers!
- Stainless steel door avoids door glass breakage in transit
- Unit: W: 23-5/8" x D: 4-1/2" x H: 12-1/2" ● Ship Wt: 15 lbs.

List Price \$420.00



XC605: Air Deflector Plate (for XAF & OV Series Ovens)

- Deflects air in oven cavity; for baking delicate foods like puff pastry
- Attaches without tools to the fan protection grid in the oven cavity
- Use one air deflector plate per oven fan
- Unit: Diam: 7-1/8" x H: 3/4" ● Ship Wt: 0.6 lbs.

List Price \$30.00



OQFSP: 1/4 Size Flat Sheet Pan

- Designed to fit 1/4 size ovens, and to fit an extra row of cookies vs. standard sheet pans
- Low 3/16" sides for easy removal of cookies, etc. ● Aluminum
- Unit: W: 13-1/2" x D: 10-3/16" x H: 3/16" ● Ship Wt: 1 lb.

List Price \$15.00



OHFSP: Half Size Flat Sheet Pan

- Designed to fit half size ovens, and to fit an extra row of cookies vs. standard sheet pans
- Low 3/16" sides for easy removal of cookies, etc. ● Aluminum
- Unit: W: 18-3/8" x D: 12" x H: 3/16" ● Ship Wt: 2 lb.

List Price \$20.00



OCR250: Cooling Rack for 1/4 Size Pans

- Fits standard 1/4 size sheet pans (pans not included) ● Chrome w/black rubber feet
- Holds 3 standard sheet pans ● Unit: W: 14" x D: 10-11/16" x H: 6"
- Ship Wt: 1 lb.

List Price \$35.00



OV350CB: Carry Bag (for OV-013 series & OV-350 Ovens)

- Designed to fit OV-013 series & OV-350 Ovens
- Perfect for carrying OV-013 series & OV-350 ovens to catering jobs!
- Black, heavy-duty nylon material ● Sturdy 15" high carry straps
- Unit Dimensions: W: 25" x D: 24" x H: 16" ● Ship Wt: 3 lb.

List Price \$100.00



XC655: Portable Water Tank (for XAF ovens w/Pump kit)

- Unit: W: 18" x D: 8" x H: 6" ● Ship Wt: 5 lbs.

List Price \$230.00



XC660: Electrovalve Kit

- Water Electrovalve Kit for Half Size Digital Dynamic ovens (XAF-115 & XAF-135), to connect the oven to a water supply
- Ship Wt: 5 lbs.

List Price \$367.20



XC615: Water Connection Kit for Multiple Digital Dynamic Ovens

- Hose & connector to connect two stacked XAF Digital Dynamic Ovens for sharing water hookup
- Ship Wt: 5 lbs.

List Price \$70.00



STACKING KITS:

(Maximize floor and counterspace; for LineChef™ XAF Series Ovens only)

- Designed for LineChef™ XAF series ovens only. Everything needed to securely stack one XAF oven on top of another and protect the top oven's control panel from heat rising from bottom oven
- Each kit includes: Four special oven legs (2-3/4" high) for the top oven, one heat baffle (protects top oven's control panel from heat from bottom oven), one bottom oven vent extension, and all needed brackets, screws & clamps.



XC651: Stacking Kit for Half Size XAF Ovens

(Models XAF-111, XAF-113, XAF-115, XAF-130, XAF-133, XAF-135)

- Ship Wt: 20 lbs.

List Price \$400.00

Model XC646: Stacking Kit for Full Size XAF Ovens

(Models XAF-183, XAF-188, XAF-193, XAF-195)

- Ship Wt: 20 lbs.

List Price \$500.00

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

GRIDDLES

NEW 120V 220V



Made in America

CG-10: Countertop Stainless Griddle

- Large, heavy cast cooking area : 21" x 12"
- Removable stainless steel splash guard
- Charcoal grey, high-tech, non-stick commercial cooking surface
- Even heat up to 425° F
- Large stainless steel removable grease tray
- Freight class 85
- 3-prong commercial SJTO cordset
- UL Safety & Sanitary
- 120 volts /1500 watts / 12.5 amps

List Price \$500.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|---------|----------|
| 24 1/2" | 8 1/4" | 17 3/4" | 25 lbs. |

CG-20: Countertop Stainless Griddle

- (Same as CG-10, except:) ● 220 volts /1500 watts / 6.8 amps

List Price \$500.00

PCG-10C: Griddle, charcoal/stainless

Perfect for Caterers, Concessionaires, + other 120V Applications!

- Large, heavy cast cooking area : 21" x 12"
- Removable stainless steel splash guard
- Charcoal grey, high-tech, non-stick commercial cooking surface
- Even heat up to 425° F
- Cool-touch stainless steel handles
- Base immersible: easy cleaning
- Stainless steel removable grease tray
- Freight class 85
- 3-prong commercial SJTO cordset
- UL Safety & Sanitary
- Standard voltage for maximum flexibility: 120 volts /1500 watts / 12.5 amps
- Not intended for all-day use.

List Price \$230.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|---------|------------|
| 29" | 5 1/2" | 12 1/2" | 13.25 lbs. |



Made in America

FTCG-200: Glass-Ceramic Fry Top Griddle, stainless

Features fast heat-up and easy-clean surface

- Large 11" x 17-1/3" glass cooking surface
- Not intended for all-day use.
- Adjustable thermostat up to 700° F; fast heat-up
- Large pull-out grease tray
- Easy-clean surface
- Special cleaning scraper included
- Freight class 85
- UL, C-UL, NSF
- NEMA 6-15P Plug
- 208/240 volts/2500 watts/11.4 amps

NEMA 6-15P Plug



List Price \$1,200.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|---------|----------|
| 15 3/4" | 5" | 25 1/4" | 22 lbs. |



PANINI / CLAMSHELL GRILLS


UL C-UL NSF

Glass-Ceramic Panini Grills feature fast heat-up and easy-clean surfaces



CPG-10: Single Panini /Clamshell Grill, stainless

- One 9-7/8" x 9-7/8" grilling area
- High-tech glass grill surface: ribbed top plate & smooth bottom plate
- Ribbed top plate for appetizing grill marks on food
- Adjustable thermostat up to 700°F
- Power light
- 4 non-skid feet
- Cool-touch handles
- Easy to clean stainless steel housing
- Ribbed top plate easily cleaned with special brass wool supplied with unit
- Cleaning scraper included
- Freight class 85
- UL, C-UL, NSF
- NEMA 5-15P Plug
- 120 volts / 1500 watts / 12.5 amps



NEMA 5-15P Plug

List Price \$1,300.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|-------|----------|
| 13" | 7" | 18" | 22 lbs. |

CPG-10F: Single Panini /Clamshell Grill, stainless

Same as CPG-10 except: ● High-tech glass grill surface has smooth top and bottom plates/ no ribbed plates

List Price \$1,500.00



CPG-20: Double Panini /Clamshell Grill, stainless

- Two 9-7/8" x 9-7/8" grilling areas
- High-tech glass grill surface: ribbed top plate & smooth bottom plate
- Ribbed top plate for appetizing grill marks on food
- Adjustable thermostat up to 700°F
- Power light
- 4 non-skid feet
- Cool-touch handles
- Easy to clean stainless steel housing
- Ribbed top plate easily cleaned with special brass wool supplied with unit
- Cleaning scraper included
- Freight class 85
- UL, C-UL, NSF
- NEMA 6-15P Plug
- 208/240 / 3200 watts / 14.5 amps



NEMA 6-15P Plug

List Price \$2,300.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|-------|-----------|
| 24 1/3" | 7" | 18" | 37.5 lbs. |

CPG-20F: Double Panini /Clamshell Grill, stainless

Same as CPG-20 except: ● High-tech glass grill surfaces have smooth top and bottom plates/ no ribbed plates

List Price \$2,500.00

Our Panini Grills & FT CG-200 Griddle are made to Cadco Ltd. specifications by UNOX S.p.A.

● NSF, UL through CSA Standards

Model No. Cross Reference: FT CG-200 = UNOX XAP 200; CPG-10 = UNOX XAP 010R, CPG-10F = UNOX XAP 010, CPG-20 = UNOX XAP 020PR, CPG-20F = UNOX XAP 020P

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

HOT PLATES / PORTABLE RANGES

All models on this page  **Made in America**

NEW



CDR-1TFB: Double Space Saver Hot Plate, stainless

- Space-saving front-to-back design
- Two industrial rated burners with 6" diameter high speed tubular elements
- Two Robertshaw thermostats with infinite heat controls
- Easy-to-clean stainless surface
- 120 Volts/1650 Watts; 825 per burner/13.8 Amps/ single phase
- UL Safety & Sanitary/C-UL ● Freight class 85

List Price \$220.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|---------|-----------|
| 13 1/2" | 4 1/2" | 22 3/4" | 11.9 lbs. |

NEW



220 V

CDR-2TFB: Double Space Saver Hot Plate, stainless

- Space-saving front-to-back design
- Two industrial rated burners with 8" diameter high speed tubular elements
- Two Robertshaw thermostats with infinite heat controls
- Easy-to-clean stainless surface
- 220 Volts/3000 Watts; 1500 per burner/13.6 Amps/ single phase
- UL Safety & Sanitary/C-UL ● Freight class 85

List Price \$240.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|---------|----------|
| 13 1/2" | 4 1/2" | 22 3/4" | 12 lbs. |

NEW



CDR-2CFB: Double Cast Iron Space Saver Hot Plate, stainless

- Space-saving front-to-back design
- Two industrial rated burners with 7-1/2" diameter cast iron elements
- Two Robertshaw thermostats with infinite heat controls
- Easy-to-clean stainless surface
- 120 Volts/1800 Watts; 900 per burner/13.8 Amps/ single phase
- UL Safety & Sanitary/C-UL ● Freight class 85

List Price \$300.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|---------|----------|
| 13 1/2" | 4 1/2" | 22 3/4" | 18 lbs. |

NEW



CSR-1T: Single Hot Plate, stainless

- Industrial rated single burner with 6" diameter high speed tubular element
- Robertshaw thermostat; infinite heat control
- Easy-to-clean stainless surface
- 120 Volts/1100 Watts/9.0 Amps/ single phase
- UL Safety & Sanitary/C-UL ● Freight class 85

List Price \$140.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|---------|-----------|
| 14" | 4 1/8" | 12 1/4" | 6.75 lbs. |

NEW



CSR-3T: Hi-power Single Hot Plate, stainless

- Industrial rated single burner with 8" diameter high speed tubular element
- Robertshaw thermostat; infinite heat control
- Easy-to-clean stainless surface
- 120 Volts/1500 Watts/12.5 Amps/ single phase
- UL Safety & Sanitary/C-UL ● Freight class 85

List Price \$170.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|---------|----------|
| 14" | 4 1/8" | 12 1/4" | 8 lbs. |

NEW



CDR-1T: Double Hot Plate, stainless

- Two industrial rated burners with 6" diameter high speed tubular elements
- Two Robertshaw thermostats with infinite heat controls
- Easy-to-clean stainless surface
- 120 Volts/1650 Watts/13.8 Amps/ single phase
- UL Safety & Sanitary/C-UL ● Freight class 85

List Price \$200.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|----------|----------|
| 21 1/4" | 4 1/4" | 12 3/16" | 11 lbs. |

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

HOT PLATES / PORTABLE RANGES



220V

Made in America

LKR-220: Large Cast Iron Heavy Duty Range, stainless

- 9" diameter cast iron element handles pots/pans up to 15 qt.
- Large base creates stability
- Infinite heat control
- Signal light glows only during heat cycle
- Easy-to clean stainless housing
- NEMA 6-15P plug
- 220 Volts - 2000 Watts - 9.1 Amps/ single phase
- UL Safety & Sanitary/C-UL
- Freight class 85

List Price \$300.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|---------------------------------|----------------------------------|----------|
| 15 ³ / ₈ " | 4 ³ / ₈ " | 15 ¹ / ₂ " | 13 lbs. |

BIR-1C: Buffet Induction Range, stainless



- No preheat - immediate power / fast heat off
- SCHOTT CERAN® glass-ceramic cooking surface
- Pot recognition: Heats only within pot/pan circumference for maximum energy efficiency
- Requires flat-bottomed pot/pan made of cast iron, enameled steel, or stainless steel. (Check with magnet)
- Handles pot/pans with 3-5/32" – 10-1/4" diameter
- Contemporary styling with low silhouette for countertop buffet use
- Freight class 85
- Electronic controls with audible acknowledgement signals
- Brushed stainless steel housing
- 3 prong commercial cordset
- Control cooking with power level OR temperature level
- Temperatures from 160°F - 450°F
- 1-99 minute timer
- Power light
- "Residual heat" safety light over 160°F
- 120 volts -1400 watts - 11.7 amps
- ETL Listed

List Price \$600.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|----------------------------------|----------|
| 12" | 3" | 16 ¹ / ₄ " | 8.0 lbs. |

PHR-1C: Glass-Ceramic Range, stainless



- Power-saving two-circle heat technology, allows for 5.5" diameter / 600 watt heating zone or an extra-large 8.25" diameter/ 1500 watt heating zone, matching heat zone to pot/pan size
- Fast heat-up / fast heat off
- Infinite heat control
- Sleek glass cooking surface
- Brushed stainless steel housing
- Contemporary styling / low silhouette for countertop stability
- Power light
- "Residual heat" safety light
- 120 volts -1500 watts (8.25" heating zone) / 600 watts (5.5" heating zone) /12.5 amps
- CSA to UL Standards
- Freight class 85

List Price \$380.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|----------------------------------|----------|
| 12" | 3" | 16 ¹ / ₄ " | 8.0 lbs. |

KR-S2: Portable Cast Iron Range, stainless



- 7-1/8" diameter cast iron element
- Signal light glows only during heat cycle
- Easy-to clean stainless housing
- Infinite heat control
- 120 Volts/1500 Watts/12.5 Amps/ single phase
- UL Safety & Sanitary/C-UL
- Freight class 85

List Price \$195.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|--------|-------|----------|
| 11 ¹ / ₂ " | 3" | 14" | 8.8 lbs. |

KR-1: Portable Cast Iron Range, black



- 7-1/8" diameter cast iron element
- Signal light glows only during heat cycle
- Easy-to clean black enamel housing
- Infinite heat control
- 120 Volts/1500 Watts/12.5 Amps/ single phase
- UL Safety & Sanitary/C-UL
- Freight class 85

List Price \$180.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|--------|-------|----------|
| 11 ¹ / ₂ " | 3" | 14" | 8.8 lbs. |

DKR-S2: Double Cast Iron Range, stainless



- Two cast iron elements: 7-3/8" dia. = 1,000w; 6" dia. = 650w
- Signal lights glow only during heat cycle
- Easy-to clean stainless housing
- Infinite heat controls for each burner
- 120 Volts/1650 Watts/13.8 Amps/ single phase
- UL Safety & Sanitary/C-UL
- Freight class 85

List Price \$270.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|---------------------------------|-------|----------|
| 19 ¹ / ₄ " | 2 ¹ / ₂ " | 11" | 13 lbs. |


Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

All models on this page  **Made in America**

NEW  **Mobile Hot/Cold Buffet Cart**

Keep prepared food hot or cold & ready to serve!

Includes extra-large skirted cart with 3 buffet servers (two hot/one cold: 3 pan holders, 6 half size steam pans, 3 rolltop lids, and one Cambro® Camchiller®)



(Optional) Cambro® Camcarrier®
Cart skirt is open at back for easy access to drawers, shelves, and optional Cambro® Camcarrier®, Model UPC 400

List Price \$3,500.00

| Width | Height | Depth | Ship Wt.* |
|-------|--------|---------|-----------|
| 54" | 47" | 27 1/4" | 125 lbs. |

* Ships in 2 cartons.

Does not include weight of shipping skid

(CBC-HC FRONT)

*Plating Drawer pulls out to hold tray while plating food

Large Mobile Hot/Cold Buffet Cart allows operators to keep foods on the buffet top hot on one side and cold on the other side, providing an attractive display of various menu items right in front of the customer. Easily replenish with back up menu items close at hand in the optional insulated hot/cold box on cart's lower storage shelf. Top plate drawer pulls out to hold tray while plating food. Drawers for plates/silverware/drinks storage; tray storage shelves.

CBC-HC: Mobile Hot / Cold Buffet Cart, stainless

- Stainless steel cart with handle & wheels (2 wheels with brakes; 2 wheels without) ● Patent pending
- 3 Double Buffet Servers (2 hot; 1 cold): each has 2 half size stainless steam pans, 1 clear polycarbonate rolltop lid, & stainless pan holder ● Half size steam pans hold over 30 four oz. servings ea. ● Cambro® Camchiller® included for cold buffet server
- 5 drawers: plating drawer, plates storage, silverware storage, drinks storage, and extra storage ● 2 tray storage shelves
- Space for optional Cambro® Camcarrier® Hot/Cold Box, Model UPC 400 ● 2 variable heat control knobs for Hot Buffet Servers
- Removable black, heavy-duty fire retardant skirting on 3 sides; attaches with included Velcro
- 72" (6') long cart cord ● 120 volts / 300 watts / 2.5 amps ● Freight class 85; NOT UPS-able, must ship by truck

NEW  **Mobile Hot Buffet Cart**

CBC-HHH: Mobile Hot Buffet Cart, stainless

List Price \$3,500.00

Same as CBC-HC Hot/Cold Buffet Cart, except: ● All three Buffet Servers are Hot; no Camchiller® included ● Third temperature control knob for the third hot buffet server ● 120 volts/ 900 watts / 7.5 amps

(See page 20 for more accessories for all Buffet Server/Warmer models)

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

All models on this page  Made in America



Mobile Sampling / Demo Cart

“Ideal for any food sampling and/or demonstrations”



An "All in One" Mobile Demonstration Kitchen!

CBC-SDC includes:

- OV-003 Quarter Size Convection Oven
 - 3 Quarter Size Sheet Pans
 - 2 Quarter Size Oven Baskets
 - Built-in Double Buffet Server
 - Built-in Glass Ceramic Range
 - 22" Maple Cutting Board
- (Frying pan & utensils not included)



(CBC-SDC rear)

CBC-SDC: Mobile Sampling / Demo Cart, stainless

- **Stainless steel cart with handle & wheels** (2 wheels with brakes; 2 wheels without)
- **Double Buffet Server** on left front side: 2 half size stainless steam pans, 2 clear polycarbonate lids with utensil slots, & pan holder ● **Half size steam pans hold over 30 four oz. servings ea.** ● **Buffet Server surface heat area: 18-7/8" x 11-5/8"**
- **Built in Glass Ceramic Range** on right side features power-saving two-circle heat technology (5.5" or 8.25" diameter heat zones) and infinite heat control. **Fast heat-up / Fast heat off.** ● **22" Maple Cutting Board** on left back side ● **Patent pending**
- **Quarter Size / 3 Shelf Convection Oven with Manual Controls (OV-003)** on inside cart shelf ● Storage shelf at bottom of cart
- Pan supports built in to left of oven; holds up to 5 quarter size pans (3 quarter size sheet pans & 2 quarter size oven baskets included).
- Removable black, heavy-duty fire retardant skirting on 3 sides; attaches with included Velcro
- Cart's variable heat control operates the Buffet Server; Glass-Ceramic Range and Convection Oven have separate cords & plugs. ● Glass-Ceramic Range: 120 volts / 1500 watts / 12.5 amps
- Cart/ Buffet Server: 120 volts / 300 watts / 2.5 amps ● Oven: 120 volts / 1450 watts / 12 amps
- 72" (6') long cart cord ● Freight class 85; NOT UPS-able, must ship by truck

List Price \$3,399.00

| Width | Height | Depth | Ship Wt.* |
|---------|--------|---------|-----------|
| 36 1/4" | 43" | 24 1/2" | 125 lbs. |

* Ships in 2 cartons. Does not include weight of shipping skid



Mobile Chef Cart with Glass Ceramic Range

CBC-PHR: Mobile Chef Cart with Glass Ceramic Range, stainless

NOTE: Model CBC-PHR comes in three different configurations. They are identical except for the size and quantity of steam pans. Specify desired model when ordering:

- MODEL CBC-PHR-6** (shown) ● With 6 sixth size steam pans in Buffet Server
- MODEL CBC-PHR-3** ● With 3 third size steam pans in Buffet Server
- MODEL CBC-PHR-2** ● With 2 half size steam pans in Buffet Server



CBC-PHR-6

CBC-PHR includes:

- Built-in Buffet Server
 - Built-in Glass Ceramic Range
 - 22" Maple Cutting Board
- (Frying pan & utensils not included)

- ALL 3 MODELS:** ● **Stainless steel cart with 2 handles; 2 wheels with brakes, 2 without**
- **Buffet Server: (specify model number with desired number/size of steam pans); 1 clear rolltop lid & pan holder** ● **Buffet Server surface heat area: 18-7/8" x 11-5/8"**
- **Built in Glass Ceramic Range** features power-saving two-circle heat technology (5.5" or 8.25" diameter heat zones) and infinite heat control. **Fast heat-up / Fast heat off.**
- **22" Maple Cutting Board** ● **Patent pending**
- Two storage shelves accessible from back of cart ● 72" (6') long cart cord
- Removable black, heavy-duty fire retardant skirting on 3 sides; attaches with included Velcro
- Cart's variable heat control operates the Buffet Server; Glass-Ceramic Range has separate cord & plug.
- Glass-Ceramic range: 120 volts / 1500 watts / 12.5 amps
- Cart/ Buffet Server: 120 volts / 300 watts / 2.5 amps
- Freight class 85; NOT UPS-able, must ship by truck

List Price \$2,399.00

| Width | Height | Depth | Ship Wt.* |
|-------|--------|---------|-----------|
| 53" | 47" | 24 1/2" | 125 lbs. |

* Ships in 1 carton. Does not include weight of shipping skid

(See page 20 for more accessories for all Buffet Server/Warmer models)

All Specialty Carts are customizable... just ask us!

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

Keep prepared food warm until ready to serve!

- Foods should be fully cooked and already hot before being placed in/on Warming Carts: designed for keep-warm function only.
- Carts ship pre-assembled except for wheels & skirt
- One year warranty on carts; 30 day initial defect warranty only on skirts
- PATENT PENDING

(See page 20 for more accessories for all Buffet Server/Warmer models)

All models on this page  Made in America



CBC-3RT



CBC-4RT

CBC-2RT: Double Buffet Warming Cart w/ Clear Rolltop Lids, stainless

- Two half size stainless steam pans
- One clear polycarbonate high rolltop lid, accessible from front & back
- Steam pan holder attaches securely to cart
- Half size steam pans hold over 30 four oz. servings ea.
- Stainless top (pan holder & pans) removable; can use top level of cart as warming tray
- Standard size cart with large 25-1/8" x 18" stainless top warming surface (active heat area: 22-1/8" x 15")
- Two lower storage shelves
- 2 wheels with brakes; 2 wheels without
- 72" (6') long cord
- Variable heat control - 155° to 205° F
- Safety signal light
- Freight class 85; UPS-able
- Removable black, heavy-duty fire retardant skirting on 3 sides; attaches with included Velcro
- 120 volts / 300 watts / 2.5 amps / single phase
- 3-prong commercial SJTO cordset

List Price \$950.00

| Width | Height | Depth | Ship Wt. |
|-------|---------|---------|----------|
| 29" | 45 1/2" | 18 1/2" | 67 lbs. |

CBC-3RT: Triple Buffet Warming Cart w/ Clear Rolltop Lids, stainless

Same as CBC-2RT, except:

- Three third size stainless steam pans
- One clear polycarbonate high rolltop lid
- Third size steam pans hold over 20 four oz. servings ea.

List Price \$950.00

| Width | Height | Depth | Ship Wt. |
|-------|---------|---------|----------|
| 29" | 45 1/2" | 18 1/2" | 67 lbs. |

CBC-4RT: Jumbo Buffet Warming Cart w/ Clear Rolltop Lids, stainless

- Four half size stainless steam pans
- Two clear polycarbonate rolltop lids
- High rolltop lids accessible from front & back
- Half size steam pans hold over 30 four oz. servings ea.
- Two steam pan holders attach securely to cart
- Stainless tops (pan holders & pans) removable; can use top level of cart as warming tray
- Grand size cart with extra large 46" x 18" stainless top warming surface (active heat area: 43" x 15")
- Two variable heat controls (one per side) - 155° to 205° F
- Two safety signal lights
- Two lower storage shelves
- 2 wheels with brakes; 2 wheels without
- Handles on both ends of cart
- Removable black, heavy-duty fire retardant skirting on 3 sides; attaches with included Velcro
- 120 volts / 600 watts / 5 amps / single phase
- 3-prong commercial SJTO cordset
- 72" (6') long cord
- Freight class 85; NOT UPS-able, must ship by truck

List Price \$1,500.00

| Width | Height | Depth | Ship Wt.* |
|---------|---------|---------|-----------|
| 52-3/4" | 45 1/2" | 18 1/2" | 100 lbs. |

* does not include weight of shipping skid

CBC-5RT: Grand Buffet Warming Cart w/ Clear Rolltop Lids, stainless

Same as CBC-4RT, except:

- Two half size stainless steam pans & three third size stainless steam pans, plus two clear polycarbonate high rolltop lids
- Half size steam pans hold over 30 four oz. servings ea.
- Third size steam pans hold over 20 four oz. servings ea.

List Price \$1,500.00

| Width | Height | Depth | Ship Wt.* |
|---------|---------|---------|-----------|
| 52-3/4" | 45 1/2" | 18 1/2" | 101 lbs. |

* does not include weight of shipping skid

S-GC: Grand Cart Replacement Skirt

- Drapes front and sides of grand size Cadco cart; attaches with included Velcro strips

List Price \$320.00

S-SC: Standard Cart Replacement Skirt

- Drapes front and sides of standard size Cadco cart; attaches with included Velcro strips

List Price \$180.00

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

(See page 20 for more accessories for all Buffet Server models)



WTBS-3RT: Triple Buffet Server w/Clear Rolltop Lid, stainless

- Three third size stainless steam pans ● Clear polycarbonate rolltop lid
- Stainless steam pan holder ● Each steam pan will hold over 20 four oz. servings
- Stainless top removable; can use base as warming shelf
- Large 20 1/2" x 14" stainless warming surface
- Variable heat control - 155° to 205° F ● Cool-touch handles
- Safety signal light ● 4 non-skid feet ● Freight class 85
- 120 volts / 300 watts / 2.5 amps / single phase

List Price \$350.00

| Width | Height | Depth | Ship Wt. |
|-------|---------|---------|-----------|
| 26" | 13 1/4" | 15 1/4" | 25.3 lbs. |



WTBS-3P: Triple Buffet Server w/Clear Lids, stainless

- Three third size stainless steam pans ● Three clear polycarbonate lids with utensil slots
- Stainless steam pan holder ● Each steam pan will hold over 20 four oz. servings
- Stainless top removable; can use base as warming shelf
- Large 20 1/2" x 14" stainless warming surface
- Variable heat control - 155° to 205° F ● Cool-touch handles
- Safety signal light ● 4 non-skid feet ● Freight class 85
- 120 volts / 300 watts / 2.5 amps / single phase

List Price \$320.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|---------|------------|
| 26" | 7 7/8" | 15 1/4" | 17.65 lbs. |



WTBS-3: Triple Buffet Server, stainless

Same as WTBS-3P, except with stainless steel lids

List Price \$320.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|---------|------------|
| 26" | 6 5/8" | 15 1/4" | 18.25 lbs. |



WTBS-2RT: Double Buffet Server w/Clear Rolltop Lid, stainless

- Two half size stainless steam pans ● Clear polycarbonate rolltop lid
- Stainless steam pan holder ● Each steam pan will hold over 30 four oz. servings
- Stainless top removable; can use base as warming shelf
- Large 20 1/2" x 14" stainless warming surface
- Variable heat control - 155° to 205° F ● Cool-touch handles
- Safety signal light ● 4 non-skid feet ● Freight class 85
- 120 volts / 300 watts / 2.5 amps / single phase

List Price \$350.00

| Width | Height | Depth | Ship Wt. |
|-------|---------|---------|-----------|
| 26" | 13 1/4" | 15 1/4" | 24.5 lbs. |



WTBS-2P: Double Buffet Server w/ Clear Lids, stainless

- Two half size stainless steam pans ● Two clear polycarbonate lids with utensil slots
- Stainless steam pan holder ● Each steam pan will hold over 30 four oz. servings
- Stainless top removable; can use base as warming tray
- Large 20 1/2" x 14" stainless warming surface
- Variable heat control - 155° to 205° F ● Cool-touch handles
- Safety signal light ● 4 non-skid feet ● Freight class 85
- 120 volts / 300 watts / 2.5 amps / single phase

List Price \$320.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|---------|------------|
| 26" | 7 7/8" | 15 1/4" | 17.45 lbs. |



WTBS-2: Double Buffet Server, stainless

Same as WTBS-2P, except with stainless steel lids

List Price \$320.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|---------|------------|
| 26" | 6 5/8" | 15 1/4" | 17.75 lbs. |

All models on this page Made in America



CMLB-24RT: Multi-Level Buffet Server w/ Clear Rolltop Lids, stainless

- Two-level warming tray: two large 20-1/2" x 14" stainless warming surfaces
- Four half size stainless steam pans ● Two clear polycarbonate rolltop lids
- Each steam pan will hold over 30 four oz. servings ● Two stainless steam pan holders
- Steam pan holders removable; can use bases as warming trays
- Control knobs and signal lights on back of unit; top & bottom levels controlled separately
- Variable heat control - 155° to 205° F
- 4 non-skid feet ● Freight class 85
- 120 volts / 600 watts / 5 amps / single phase

List Price \$750.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|---------|----------|
| 23 1/4" | 26" | 15 1/4" | 46 lbs. |



CMLB-24P: Multi-Level Buffet Server w/ Clear Lids, stainless

- Two-level warming tray: two large 20-1/2" x 14" stainless warming surfaces
- Four half size stainless steam pans with clear polycarbonate lids with utensil slots
- Each steam pan will hold over 30 four oz. servings ● Two stainless steam pan holders
- Steam pan holders removable; can use bases as warming trays
- Control knobs and signal lights on back of unit; top & bottom levels controlled separately
- Variable heat control - 155° to 205° F
- 4 non-skid feet ● Freight class 85
- 120 volts / 600 watts / 5 amps / single phase

List Price \$700.00

| Width | Height | Depth | Ship Wt. |
|---------|---------|---------|----------|
| 23 1/4" | 20 3/4" | 15 1/4" | 43 lbs. |

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

(See page 20 for more accessories for all Buffet Server models)

All models on this page  Made in America



List Price \$660.00

| Width | Height | Depth | Ship Wt. |
|-------|----------------------------------|----------------------------------|----------|
| 46" | 13 ¹ / ₄ " | 15 ¹ / ₄ " | 44 lbs. |

(Ships in 2 cartons)

WTBS-4RT: Jumbo Buffet Server w/ Clear Rolltop Lids, stainless

- Four half size stainless steam pans ● Two clear polycarbonate rolltop lids
- Each steam pan will hold over 30 four oz. servings
- Two stainless steam pan holders ● Stainless top removable; can use base as warming shelf
- Extra large 41-1/4" x 14" stainless warming surface ● Two variable heat controls - 155° to 205° F ● Cool-touch handles
- Two safety signal lights ● 4 non-skid feet ● Freight class 85 ● 120 volts / 600 watts / 5 amps / single phase



List Price \$620.00

| Width | Height | Depth | Ship Wt. |
|-------|---------------------------------|----------------------------------|-----------|
| 46" | 7 ⁷ / ₈ " | 15 ¹ / ₄ " | 32.8 lbs. |

WTBS-4P: Jumbo Buffet Server w/ Clear Lids, stainless

- Four half size stainless steam pans with clear polycarbonate lids and two steam pan holders ● Lids have utensil slots
- Each steam pan will hold over 30 four oz. servings ● Stainless top removable; can use base as warming shelf
- Extra large 41-1/4" x 14" stainless warming surface ● Two variable heat controls - 155° to 205° F ● Cool-touch handles
- Two safety signal lights ● 4 non-skid feet ● Freight class 85 ● 120 volts / 600 watts / 5 amps / single phase



List Price \$620.00

| Width | Height | Depth | Ship Wt. |
|-------|---------------------------------|----------------------------------|-----------|
| 46" | 6 ⁵ / ₈ " | 15 ¹ / ₄ " | 33.4 lbs. |

WTBS-4: Jumbo Buffet Server, stainless

- Four half size stainless steam pans with stainless lids ● Each steam pan will hold over 30 four oz. servings
- Two stainless steam pan holders ● Stainless top removable; can use base as warming shelf
- Extra large 41-1/4" x 14" stainless warming surface ● Two variable heat controls - 155° to 205° F ● Cool-touch handles
- Two safety signal lights ● 4 non-skid feet ● Freight class 85 ● 120 volts / 600 watts / 5 amps / single phase



List Price \$660.00

| Width | Height | Depth | Ship Wt. |
|-------|----------------------------------|----------------------------------|----------|
| 46" | 13 ¹ / ₄ " | 15 ¹ / ₄ " | 43 lbs. |

(Ships in 2 cartons)

WTBS-5RT: Grand Buffet Server w/ Clear Rolltop Lids, stainless

- Two half size stainless steam pans & three third size stainless steam pans ● Two clear polycarbonate rolltop lids
- Half size steam pans will hold over 30 four oz. servings ea. ● Third size steam pans will hold over 20 four oz. servings ea.
- Two stainless steam pan holders ● Stainless top removable; can use base as warming shelf
- Extra large 41-1/4" x 14" stainless warming surface ● Two variable heat controls - 155° to 205° F ● Cool-touch handles
- Two safety signal lights ● 4 non-skid feet ● Freight class 85 ● 120 volts / 600 watts / 5 amps / single phase



List Price \$620.00

| Width | Height | Depth | Ship Wt. |
|-------|---------------------------------|----------------------------------|----------|
| 46" | 7 ⁷ / ₈ " | 15 ¹ / ₄ " | 33 lbs. |

WTBS-5P: Grand Buffet Server w/ Clear Lids, stainless

- Two half size stainless steam pans & three third size stainless steam pans, all with clear polycarbonate lids with utensil slots
- Half size steam pans will hold over 30 four oz. servings ea. ● Third size steam pans will hold over 20 four oz. servings ea.
- Two stainless steam pan holders ● Stainless top removable; can use base alone as warming shelf
- Extra large 41-1/4" x 14" stainless warming surface ● Two variable heat controls - 155° to 205° F ● Cool-touch handles
- Two safety signal lights ● 4 non-skid feet ● Freight class 85 ● 120 volts / 600 watts / 5 amps / single phase

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

WARMING CABINETS & BUFFET SERVERS UL Safety & Sanitary C-UL

Keep prepared food warm until ready to serve!

- Foods should be fully cooked and already hot before being placed in/on Warming Cabinets: designed for keep-warm function only.

Features of Cadco Warming Cabinet/Buffer Servers Models On This Page:

- **Large 28" x 14" stainless warming surface on top level**
- **Lower cabinet may be used as a food / plate warmer** (plates/pans not included unless indicated)
- Two variable heat controls - 155° to 205° F: one operates cabinet and the other operates top warming shelf
 - 120 volts / 600 watts / 5 amps / single phase
 - UL Safety & Sanitary, C-UL
 - PATENT PENDING
- Doors included
- Safety signal lights
- Where included, half size steam pans hold over 30 four oz. servings ea.
- Where included, third size steam pan holds over 20 four oz. servings
- 4 non-skid feet
- Freight class 85

All models on this page  **Made in America**



(See page 20 for more accessories for all Buffet Server/Warmer models)



CMLB-CSG: Warming Cabinet w/ Sneeze Guard & Buffet Server Top, stainless

- Warming cabinet with clear polycarbonate sneeze guard over top level warming shelf
- Two half size stainless steam pans & one third size stainless steam pan
- One large stainless steam pan holder
- Stainless top removable; can use top level as warming tray

| Width | Height | Depth | Ship Wt. |
|-------|---------|---------|----------|
| 28" | 22 1/2" | 18 1/4" | 48 lbs. |

List Price \$700.00



CMLB-C2RT: Warming Cabinet w/ Buffet Server w/ Clear Roll-top Lid, stainless

- Warming cabinet with two half size stainless steam pans
- One clear polycarbonate rolltop lid
- Half size steam pans will hold over 30 four oz. servings ea.
- One large stainless steam pan holder
- Stainless top removable; can use top level as warming shelf

| Width | Height | Depth | Ship Wt. |
|-------|---------|---------|----------|
| 28" | 18 7/8" | 15 1/4" | 43 lbs. |

(Ships in 2 cartons) **List Price \$550.00**

CMLW-CSG: Warming Cabinet w/ Sneeze Guard & Warming Shelf Top, stainless

- Warming cabinet with clear polycarbonate sneeze guard over top level warming shelf

| Width | Height | Depth | Ship Wt. |
|-------|---------|---------|----------|
| 28" | 22 1/2" | 18 1/4" | 42 lbs. |

List Price \$650.00



CMLB-CSLP: Warming Cabinet w/ Buffet Server w/ Clear Lids, stainless

- Warming cabinet with two half size stainless steam pans & one third size stainless steam pan
- Three clear polycarbonate lids with utensil slots
- Half size steam pans will hold over 30 four oz. servings ea.
- Third size steam pan will hold over 20 four oz. servings
- One large stainless steam pan holder
- Stainless top removable; can use top level as warming shelf

| Width | Height | Depth | Ship Wt. |
|-------|--------|---------|------------|
| 28" | 14" | 15 1/4" | 40.25 lbs. |

List Price \$600.00

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

WARMING SHELVES

UL Safety & Sanitary C-UL

All Warming Shelves  Made in America



WT-5S: Small Countertop Warming Shelf, stainless

13-7/8" x 14" warming surface

- Variable heat control - 155° to 205° F
- Easy-to-clean stainless steel warming surface
- Safety signal light ● 4 non-skid feet ● Freight class 85
- 120 volts / 300 watts / 2.5 amps / single phase

List Price \$150.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|---------|----------|
| 18 3/4" | 3" | 15 1/4" | 9 lbs. |

WT-100: Countertop Warming Shelf, black

Large 20-1/2" x 14" warming surface

- Variable heat control - 155° to 205° F
- Easy-to-clean black porcelain warming surface
- Safety signal light ● 4 non-skid feet ● Freight class 85
- 120 volts / 300 watts / 2.5 amps / single phase

List Price \$180.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|---------|-----------|
| 26" | 2 7/8" | 15 1/4" | 10.2 lbs. |

WT-10S: Countertop Warming Shelf, stainless

Same as WT-100 except:

- Easy-to-clean stainless steel warming surface

List Price \$190.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|---------|----------|
| 46" | 2 7/8" | 15 1/4" | 20 lbs. |

List Price \$340.00

WT-40S: Large Countertop Warming Shelf, stainless

- Extra-large 41-1/4" x 14" warming surface (Fits 4 half size, six 1/3 size, or two full size steam table pans (not included))
- Two variable heat controls - 155° to 205° F ● Easy-to-clean stainless steel surface ● Two safety signal lights
- 4 non-skid feet ● Freight class 85 ● 120 volts / 600 watts / 5 amps / single phase



CMLW-2: Multi-Level Warming Shelves, stainless

Two-level warming tray: two large 20-1/2" x 14" stainless warming surfaces

- Control knobs and signal lights on back of unit; top & bottom levels controlled separately
- Variable heat control - 155° to 205° F
- 4 non-skid feet ● Freight class 85
- 120 volts / 600 watts / 5 amps / single phase

List Price \$600.00

| Width | Height | Depth | Ship Wt. |
|---------|---------|---------|----------|
| 23 1/4" | 16 1/4" | 15 1/4" | 28 lbs. |

BUFFET SERVER & WARMING SHELF ACCESSORIES

Use these Accessories for WT-100, WT-10S and WT-40S Warming Trays to build your own Buffet Server.



PS-TBS

CL-3

CL-2

C-DPF2

SPL-3P

SPL-2P

SPL-3

SPL-2

ITBS-3P

ITBS-2P

PS-TBS: Steam Pan Holder Accessory W: 20 3/4" x H: 2 1/2" x D: 14 1/4", Ship Wt.: 3 lbs.

List Price \$50.00

- Accessory for WT-10S and WT-40S Warming Trays ● Stainless steel ● Two #PS-TBS will fit on # WT-40S Large Warming Tray
- Holds 3 third size, 2 half size, or one full size 2-1/2" deep steam pans (not incl.) on WT-10S warming surface for optimum heat retention

CL-3: Third Size Clear Lids Accessory Pack

List Price \$40.00

- Three clear polycarbonate lids for third size steam pans

Three lids, Each lid W: 12 7/8" x H: *2 1/2" x D: 7", Total Ship Wt.: 2.2 lbs.

CL-2: Half Size Clear Lids Accessory Pack

List Price \$40.00

- Two clear polycarbonate lids for half size steam pans

Two lids, Each lid W: 12 7/8" x H: *2 1/2" x D: 10 1/2", Total Ship Wt.: 2 lbs.

C-DPF2: Clear Rolltop Lid

List Price \$50.00

- Fits on PS-TBS; fits over 3 third size or 2 half size 2-1/2" deep steam pans (not incl.)

W: 21 1/2" x H: 7" x D: 13", Total Ship Wt.: 4 lbs.

SPL-3P: Third Size Steam Pan with Clear lid

List Price \$40.00

- One third size (2-1/2" deep) stainless steam pan w/clear lid

W: 12 7/8" x H: 5" x D: 7", Ship Wt.: 1.8 lbs.

SPL-2P: Half Size Steam Pan with Clear lid

List Price \$50.00

- One half size (2-1/2" deep) stainless steam pan w/clear lid

W: 12 7/8" x H: 5" x D: 10 1/2", Ship Wt.: 2 lbs.

SPL-3: Third Size Steam Pan with Stainless Lid

List Price \$40.00

- One third size (2-1/2" deep) stainless steam pan w/ stainless lid / NSF

W: 12 3/4" x H: *3 3/4" x D: 7", Ship Wt.: 2 lbs.

SPL-2: Half Size Steam Pan with Stainless Lid

List Price \$50.00

- One half size (2-1/2" deep) stainless steam pan w/ lid/ NSF

W: 12 3/4" x H: *3 3/4" x D: 10 1/2", Ship Wt.: 2.5 lbs.

ITBS-3P: Third Size Accessory Pack with Clear Lids

List Price \$160.00

- 3 third size (2-1/2" deep) stainless steam pans w/clear lids + Steam Pan Holder

W: 20 3/4" x H: 5" x D: 14 1/4", Ship Wt.: 7.25 lbs.

ITBS-2P: Half Size Accessory Pack with Clear Lids

List Price \$140.00

- 2 half size (2-1/2" deep) stainless steam pans w/ clear lids + Steam Pan Holder

W: 20 3/4" x H: 5" x D: 14 1/4", Ship Wt.: 6.85 lbs.

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

All Accessories:
UL Safety & Sanitary

WELL WARMERS



DWW-3P: Triple Well Warmer w/ Clear Lids, stainless

- **Electrically heated warmer with 5 quart capacity in each well/steam pan (15 quarts total)**
- Three 1/3 size, 6" deep stainless steam pans with clear polycarbonate lids
- Lids have utensil slots ● Stainless steel inner water holder
- Safety water drain spigot ● Polished stainless finish
- 13 heat settings: 104° - 212°F (40°-100°C)
- Wet operation use only ● ETL, NSF, CETL
- 120 volts/1200 watts/10 amps/single phase
- Freight class 85

List Price \$420.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|----------------------------------|----------------------------------|----------|
| 13 ³ / ₈ " | 12 ¹ / ₂ " | 23 ⁷ / ₈ " | 28 lbs. |



DWW-2P: Double Well Warmer w/ Clear Lids, stainless

- **Electrically heated warmer with 9 quart capacity in each well/steam pan (18 quarts total)**
- Two 1/2 size, 6" deep stainless steam pans with clear polycarbonate lids
- Lids have utensil slots ● Stainless steel inner water holder
- Safety water drain spigot ● Polished stainless finish
- 13 heat settings: 104° - 212°F (40°-100°C)
- Wet operation use only ● ETL, NSF, CETL
- 120 volts/1200 watts/10 amps/single phase
- Freight class 85

List Price \$400.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|----------------------------------|----------------------------------|----------|
| 13 ³ / ₈ " | 12 ¹ / ₂ " | 23 ⁷ / ₈ " | 27 lbs. |



DWW-11: Double Well Warmer, stainless

- **Electrically heated warmer with 9 quart capacity in each well (18 quarts total)**
- Two stainless well inserts with hinged covers
- Stainless steel inner water holder
- Safety water drain spigot ● Polished stainless finish
- 13 heat settings: 104° - 212°F (40°-100°C)
- Wet operation use only ● ETL, NSF, CETL
- 120 volts/1200 watts/10 amps/single phase
- Freight class 85

List Price \$400.00

| Width | Height | Depth | Ship Wt. |
|----------------------------------|----------------------------------|----------------------------------|----------|
| 13 ³ / ₈ " | 13 ⁵ / ₈ " | 23 ⁷ / ₈ " | 30 lbs. |

FOOD STEAMER

ETL NSF



FS-10C: Countertop Food Steamer

- **Stainless electric steamer - holds up to 24 quarts of food**
- Stainless steel steam basket with cool-touch handles makes it easy to remove basket from steam chamber
- Removable steam basket divider; keeps different foods separate while steaming
- Stainless steel lid with cool-touch knob
- Cool-touch handles on unit and steam basket
- Adjustable thermostat up to 212°F/100°C
- Wet operation only ● Power light
- 3-prong commercial cordset
- Freight class 85
- 120 volts / 1,600 watts / 13.4 amps

List Price \$420.00

| Width | Height | Depth | Ship Wt. |
|-------|----------------------------------|----------------------------------|-----------|
| 19" | 19 ³ / ₄ " | 15 ¹ / ₂ " | 20.5 lbs. |

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.



CBF-4M: 4-slot Buffet Toaster, stainless/metallic grey

- Heavy duty KoverTec™ mica heating elements with two year warranty
- Designed for Hotel Self-Service Areas
- Two manual timer controls for independent 2-slot operation
- Two manual ejectors with keep-warm feature
- 1" x 5" x 5" slots fit standard size bagels
- Pull-out crumb tray for easy cleaning
- Stainless with metallic grey end panels ● Freight class 85
- 120 volts/1750 watts/14.5 amps/single phase

List Price \$670.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|-------|----------|
| 15.5" | 9" | 8" | 12 lbs. |



CTW-4M: Mica 4-slot Toaster, stainless / metallic grey

- Heavy duty KoverTec™ mica heating elements with two year warranty
- 1" x 5" x 5" slots ● Selector switch for 2 or 4 slot operation.
- Manual timer control ● Manual ejector with keep-warm feature
- Pull-out crumb tray for easy cleaning
- Stainless with metallic grey end panels ● Freight class 85
- 120 volts/1745 watts/14.5 amps/single phase

List Price \$500.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|-------|----------|
| 13 1/2" | 9" | 8" | 10 lbs. |

also available:
CTW-4M(208): 208 volts/2080 watts/10.0 amps

CTW-4M(220): 220 volts/2350 watts/10.6 amps/no plug



CTS-4: Mica 4-slot Toaster, Stainless Plus

- Heavy duty KoverTec™ mica heating elements with two year warranty
- 1" x 5" x 5" slots ● Selector switch for 2 or 4 slot operation.
- Manual timer control ● Manual ejector with keep-warm feature
- Pull-out crumb tray for easy cleaning ● Freight class 85
- Stainless with heavy duty aluminum end panels
- 120 volts/1745 watts/14.5 amps/single phase

List Price \$550.00

| Width | Height | Depth | Ship Wt. |
|---------|--------|-------|----------|
| 13 1/2" | 9" | 8" | 10 lbs. |

also available:
CTS-4(208): 208 volts/2080 watts/10.0 amps

CTS-4(220): 220 volts/2350 watts/10.6 amps/no plug



CTW-6M: 6-slot Toaster, stainless/metallic grey

- Heavy duty KoverTec™ mica heating elements with two year warranty
- 1" x 5" x 5" slots fit standard size bagels ● Selector switch for 2, 4, or 6 slot operation
- Manual timer control ● Manual ejector with keep-warm feature
- Pull-out crumb tray for easy cleaning
- Stainless with metallic grey end panels ● Freight class 85
- 208 volts/2225 watts/10.7 amps/single phase

List Price \$700.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|-------|----------|
| 17" | 9" | 8" | 12 lbs. |

also available:
CTW-6M(220): 220 volts/2480 watts/11.3 amps/no plug



CBT-2: 2-slot Bagel Toaster; stainless/white

CBT-2B: 2-slot Bagel Toaster; stainless/black

- Heavy duty KoverTec™ mica heating elements with two year warranty
- 1-1/4" x 5" x 5" slots fit wider sized bagels
- Manual timer turns on both slots at once
- Manual ejector with keep-warm feature
- Pull out crumb tray for easy cleaning
- Freight class 85
- 120 volts/1200 watts/10.0 amps/single phase

List Price \$480.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|-------|----------|
| 11" | 9" | 8" | 10 lbs. |



CTB-2: 2-slot Toaster, stainless/black

CTW-2: 2-slot Toaster, stainless/white

- Heavy duty KoverTec™ mica heating elements with two year warranty
- 1" x 5" x 5" slots ● Selector switch for 1 or 2 slot operation
- Manual timer control ● Manual ejector with keep-warm feature
- Pull-out crumb tray for easy cleaning
- Stainless with black end panels ● Freight class 85
- 120 volts/1250 watts/10.5 amps/single phase

List Price \$400.00

| Width | Height | Depth | Ship Wt. |
|-------|--------|-------|----------|
| 10" | 9" | 8" | 8 lbs. |

Dimensions listed are for the assembled piece of equipment without shipping carton. Shipping weights are for equipment packed in shipping carton.

WARRANTY & SERVICE INFORMATION

Cadco, Ltd. warrants all products (in the United States and Canada) to be free from defects in material and workmanship for a period of one year from date of purchase. (See product descriptions for other warranty periods on specific parts: *90 day warranty on all light bulbs and gaskets for Convection Ovens; 30 day warranty on glass.*) Warranty does not apply in cases of misuse, abuse or damage from external service or repair attempts by unauthorized personnel.

- **Cadco National Service Number 877-603-7393 (Connecticut) MUST be called first for authorization of any Warranty Service at any service location.**
- Copy of original invoice is required for proof of purchase date for warranty coverage.
- **ALL CADCO ITEMS ARE CARRY-IN SERVICE ITEMS*** (except all Large Carts, all models of LineChef™ Digital Convection Ovens, and all 208-240 Volt Manual Convection Ovens, which have on-site warranty service. (NOTES: (1) Buffet Cart Skirts have 30-day initial defect warranty only; (2) Ovens have one year warranty on motor & fan; (3) Oven light bulbs & gaskets have 90 day warranty and are easily changeable on-site by end-user, and do not qualify for service center warranty assistance. Call Cadco directly for warranty replacement of these items. (4) Oven glass has 30 day warranty.)
- **ALL TOASTERS, RANGES, HOT PLATES, BUFFET SERVERS, WARMING SHELVES, PCG-10C GRIDDLES, GRILLS, and FOOD STEAMERS should be returned directly to Cadco** for service.**
- The customer is responsible to ship or deliver carry-in service items to a Cadco authorized service center, or directly to Cadco**, along with a copy of the original invoice or sales receipt for proof of purchase date, and a description of the problem.

***If returning a unit directly to Cadco, Ltd. for warranty repair, please call us first for a Return Authorization Number. Return Authorization Number MUST be written on outside of carton to track the unit and avoid service delays.*

- *If shipping the unit to Cadco or to a service location, be sure to pack it securely and insure it for its original purchase price. Cadco is not responsible for damage or loss of unit in transit to us or a service center.
- Contact Cadco, Ltd. at (860) 738-2500 for the location of your nearest authorized service center.

*Warranty is applicable only in USA and Canada. (**Canadian customers contact Tarrison Products, Ltd. in Ontario, Tel. (905) 825-9665.)*

**Please do not take your unit to the store where you purchased it for warranty repair.
For our authorized US service agent nearest you, please contact Cadco:**

Cadco, Ltd. ● 145 Colebrook River Road, Winsted, CT 06098
Phone: (860) 738-2500 ● Fax: (860) 738-9772 ● E-mail: info@cadco-ltd.com

 Associate Member
Commercial Food Equipment
Service Association

- Service centers available throughout the U.S.
- National Service number:
877-603-7393



OVEN WARRANTIES

LineChef™ DIGITAL CONVECTION OVENS:

- 2 Year Limited Warranty (1 year On-site service, 2nd year, parts only)**

LineChef™ MANUAL CONVECTION OVENS:

- 120 Volt Models: 2 Year Limited Warranty (1 year Carry-in service, 2nd year, parts only)**
- 208-240 Volt Models: 2 Year Limited Warranty (1 year On-site service, 2nd year, parts only)**

New OV Series COMPACT MANUAL CONVECTION OVENS:

- 120 Volt Models: 2 Year Limited Warranty (1 year Carry-in service, 2nd year, parts only)**
- 208-240 Volt Model: 2 Year Limited Warranty (1 year On-site service, 2nd year, parts only)**


****ALL OVENS:** 30 day warranty on glass; 90 day warranty on light bulbs & gaskets; 1 year on motors. (NOTE: *light bulbs & gaskets are easily changeable on-site by end-user, and do not qualify for service center warranty assistance. Call Cadco directly for warranty replacement of these items.*)

*** Specific product programs may introduce a longer warranty period.
This information will be covered in a separate document.**

Cadco, Ltd. Food Service Representatives



Cadco is an Associate Member
MAFSI
 Manufacturers' Agents for the Food Service Industry



(17) Colorado, Utah
Contract Marketing
 7653 Soapweed Road
 Calhan, Co. 80808
 Office: (719) 683-4416
 Fax: (719) 683-6271
 E-mail: contractmktg@elpasotel.net

(18) Alaska, Idaho, Montana, Oregon, Washington, Wyoming
PCH Reps (formerly KBRW)- Oregon
 8375 SW Beaverton Hillsdale HWY
 STE D
 Portland, OR 97225
 Office: (888) 569-3819
 Fax: (866) 839-3303
 E-mail: kbrw@kbrw.com

(19) California (north of Bakersfield), Nevada (north of Clark County)
PMA, Inc.
 25567 Seaboard Lane
 Hayward, CA 94545
 Office: (510) 786-1144
 Fax: (510) 786-3536
 E-mail: sales@pmareps.com

(20) California (south of Bakersfield), Southern Nevada
PCH Reps (formerly KBRW)
 8375 SW Beaverton Hillsdale HWY
 STE D
 Portland, OR 97225
 Office: (888) 569-3819
 Fax: (866) 839-3303
 E-mail: kbrw@kbrw.com

(21) Arizona, New Mexico, El Paso, TX
E-KUIP Marketing
 2320 W. Peoria Ave, Suite A-105
 Phoenix, AZ 85029
 Office: (602) 255-0976
 Fax: (480) 772-4789
 E-mail: sales@e-kuipmarketing.com

(22) International
Global Resources, Inc.
 141 Colebrook River Road
 Winsted, CT 06098
 Office: (860) 379-6922
 Fax: (860) 379-6890
 E-mail: customerservice@globalresinc.com

(24) Hawaii
Harvey's Marketing & Sales
 2520 Malama Place
 Honolulu, HI 96822
 Office: (808) 988-4833
 Fax: (808) 988-2629
 E-mail: scottharvey@hawaii.rr.com

(30) Canada (All)
Tarrison Products Ltd.
 2780 Coventry Road
 Oakville, Ontario, Canada L6H 6R1
 Office: (905) 825-9665
 Fax: (905) 825-0965
 E-mail: info@tarrison.com

(09) Georgia, Alabama, Eastern & Middle Tennessee, NW Florida
SEMA, Inc.
 3020 Amwiler Road
 Atlanta, GA 30360
 Office: (770) 246-0111
 Fax: (770) 246-0544
 E-mail: rflitor@semareps.com

(10) Arkansas, Mississippi, Louisiana, Western Tennessee
Velkey & Associates
 5850 Medallion Drive
 Jackson, MS 39211
 Office: (601) 977-0620
 Fax: (601) 957-2059
 Cell (R. Velkey): (504) 858-1105
 E-mail: robert.velkey@usa.net

(11) Minnesota, North & South Dakota
Metcalfe & Associates, Inc.
 8557 Wyoming Ave., N
 STE 5
 Minneapolis, MN 55445
 Office: (763) 425-7880
 Fax: (763) 425-7467
 E-mail: Kim@MetcalfeAssociates.com

(12) Wisconsin
Woolsey & Associates, Inc.
 N8 W22520 Johnson Drive
 STE K
 Waukesha, WI 53186
 Office: (262) 436-0102
 Fax: (262) 436-0109
 E-mail: info@woolseyassociates.com

(13) Northern Illinois
Miller & Stryker Associates, Inc.
 613 N. Edgewood Avenue
 Wood Dale, IL 60191
 Office: (630) 766-0077
 Fax: (630) 766-8777
 E-mail: mickeyj@millerandstryker.com

(14) Southern Illinois, Iowa, Kansas, Missouri, Nebraska
The Pinnacle Group
 Office / Showroom location:
 13761 St. Charles Rock Road, STE 116
 Bridgeton, MO 63044
 Office: (800) 825-1480
 Fax: (314) 770-2435
 E-mail: marybonde@aol.com

(15) Texas, Oklahoma
Forbes, Hever & Wallace
 1500 Lakeside Parkway, Ste. 110,
 Flower Mound, TX 75028
 Office: (800) 526-1126
 Fax: (800) 856-4638
 E-mail: kclements@your-rep.com
 Offices in Dallas, Houston,
 San Antonio & Austin

(05) Maryland, Virginia, Washington, DC
William Horn & Associates
 5037 Kenerson Drive
 Fairfax, VA 2203
 Office: (703) 978-4608
 Fax: (703) 978-3940
 E-mail: bill@williamhornassociates.com

(06) North & South Carolina
Holland Associates
 PO Box 2675
 Matthews, NC 28106
 Office: (704) 841-4446
 Fax: (704) 841-4447
 E-mail: hollandassoc@windstream.net

(07) Florida
RepSource US, Inc.
 3569 SW Corporate Parkway
 Palm City, FL 34990
 Office: (772) 463-7674
 (800) 860-1666
 Fax: (772) 463-7675
 E-mail: jessica@repsource.us

(08) Ohio, Kentucky, Indiana, Michigan, Western Pennsylvania, West Virginia
Zink Marketing
 420 Westdale Avenue
 Westerville, OH 43082
 Office: (800) 492-7400
 Office: (614) 899-9500
 Fax: (614) 899-9797
 E-mail: info@zinkmarketing.com

(01) Connecticut, Rhode Island, Massachusetts, Vermont, Maine, New Hampshire
Spence * Wells Associates
 P.O. Box 512, 34 Central Avenue
 Needham, MA 02494
 Office: (781) 449-1040
 Fax: (781) 455-8592
 E-mail: bspenceco@aol.com

(02) Upstate New York
Robert Emig & Associates, Inc.
 2560 Fairmount Church Road
 Sewickley, PA 15143
 Office: (412) 635-9909
 Fax: (412) 635-9908
 E-mail: sales@emigandassoc.com

(03) Metro New York, New Jersey (north of Trenton)
O'Neill Marketing Agents LLC
 P. O. Box 1103
 New City, NY 10956
 Office: (845) 638-9306
 Fax: (845) 638-9031
 E-mail: dave@oneillreps.com

(04) New Jersey (from Trenton south), Delaware, Eastern Pennsylvania
McTague Associates, Inc.
 PO Box 289
 Springfield, PA 19064
 Office: (800) 356-6229; (610) 544-6376
 Fax: (610) 544-4660
 E-mail: mctagueinc@comcast.net

Due to continual product improvement, product specifications, designs and pricing are subject to change without notice.



Cadco, Ltd. • 145 Colebrook River Road, Winsted, CT 06098 • E-mail: info@cadco-ltd.com
 Phone: (860) 738-2500 • Fax: (860) 738-9772 • Visit our web site at www.cadco-ltd.com.